

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	T1-ITRd / TFLH1-ITRd / Mini 650-ITRd				
	_****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	0,65	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	0,65	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,52	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0075	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0075	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0067	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	no
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A01S2-**** / O01A2-**** / O01S2-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	0,65	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	0,65	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,52	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A01S3-**** / A01A3-**** / O01S3-**** / O01A3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	0,65	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	0,65	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,52	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0004	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A01S0-**** / O01S0-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	0,65	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	0,65	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,52	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	no
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A01S1-**** / O01A1-**** / O01S1-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	0,65	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	0,65	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,52	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	001S1/VO				
	_****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	0,60	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	0,60	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,52	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A02C2-**** / O02S2-**** / O02A2-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,90	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l_{max}}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l_{min}}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l_{SB}}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A02S0-**** / O02S0-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,90	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l_{max}}$	0,0	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l_{min}}$	0,0	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l_{SB}}$	0,0	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	no
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A02S1-**** / O02A1-**** / O02S1-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,90	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l_{max}}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l_{min}}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l_{SB}}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	O02S3-**** / O02A3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,900	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,sb}$	0,0004	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	T3-ITRd / TFLH3-ITRd / COMPACT 1300-ITRd				
	_****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,30	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,30	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,092	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0075	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0075	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0067	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	no
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A03S2-**** / A03C2-**** / O03A2-**** / O03S2-**** / A00S3-O				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,30	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,30	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,092	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A03S3-**** / A03A3-**** / O03S3-**** / O03A3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,30	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,30	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,092	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0004	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A03S0-**** / O03S0-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,30	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,30	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,092	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	no
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A03S1-**** / O03A1-**** / O03S1-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,30	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,30	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,092	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	S03S3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,30	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,30	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,720	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l_{max}}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l_{min}}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l_{SB}}$	0,0004	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	S03S1-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,30	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,30	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,092	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A04C2-**** / O04S2-**** / O04A2-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,50	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,50	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,35	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A04S0-**** / O04S0-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,50	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,50	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,35	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	no
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A04S1-**** / O04A1-**** / O04S1-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,50	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,50	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,35	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	O04S3-**** / O04A3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,50	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,50	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,350	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	T5-ITRd / TFLH5-ITRd / MIDI 1950-ITRd				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,95	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,95	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,796	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0075	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0075	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0067	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	no
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A05S2-**** / O05A2-**** / O05S2-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,95	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,95	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,796	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A05S3-**** / A05A3-**** / O05S3-**** / O05A3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,95	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,95	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,796	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A05S0-**** / O05S0-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,95	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,95	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,796	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	no
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A05S1-**** / O05A1-**** / O05S1-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,95	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,95	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,796	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	O05S1/VO				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,90	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,90	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,796	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	O06S2-**** / O06A2-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,80	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Deutschland				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A06S0-**** / O06S0-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,80	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	no
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Deutschland				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A06S1-**** / O06A1-**** / O06S1-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,80	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Deutschland				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	O06S3-**** / O06A3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,80	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0004	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Deutschland				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	T7-ITRd / TFLH7-ITRd / MAXI 2450-ITRd				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,45	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,45	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	2,00	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0075	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0075	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0067	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	no
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A07S2-**** / O07A2-**** / O07S2-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,45	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,45	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	2,00	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A07S3-**** / A07A3-**** / O07S3-**** / O07A3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,45	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,45	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	2,00	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0004	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A07S0-**** / O07S0-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,45	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,45	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	2,00	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	no
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A07S1-**** / O07A1-**** / O07S1-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,45	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,45	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	2,00	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	T10-ITRd / TFLH10-ITRd / SLIM TALL 1600-ITRd				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,60	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,60	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,87	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0075	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0075	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0067	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	no
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A10S2-**** / O10A2-**** / O10S2-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,60	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,60	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,87	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A10S3-**** / A10A3-**** / O10S3-**** / O10A3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,60	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,60	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,87	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0004	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A10S0-****/ O10S0-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,60	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,60	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,87	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	no
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A10S1-**** / O10A1-**** / O10S1-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,60	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,60	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,87	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	O10S0/VO				
	_****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,50	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,50	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	0,87	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	T12-ITRd / TFLH12-ITRd / SLIM 1200-ITRd				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,20	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,20	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,057	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0075	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0075	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0067	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	no
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A12S2-**** / O12A2-**** / O12S2-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,20	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,20	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,057	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A12S3-**** / A12A3-**** / O12S3-**** / O12A3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,20	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,20	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,057	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0004	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A12S3-**** / A12A3-**** / O12S3-**** / O12A3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,20	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,20	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,057	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	no
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A12S1-**** / O12A1-**** / O12S1-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,20	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,20	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,057	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	T13-ITRd / TFLH13-ITRd / SLIM 1600-ITRd				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,60	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,60	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,26	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0075	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0075	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0067	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	no
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A13S2-**** / O13A2-**** / O13S2-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,60	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,60	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,26	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A13S3-**** / A13A3-**** / O13S3-**** / O13A3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,60	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,60	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,26	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0004	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A13S0-**** / O13S0-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,60	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,60	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,26	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	no
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A13S1-**** / O13A1-**** / O13S1-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	1,60	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	1,60	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,26	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	T14-ITRd / TFLH14-ITRd / SLIM 2000-ITRd				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,62	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0075	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0075	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0067	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	no
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A14S2-**** / O14A2-**** / O14S2-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,62	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0001	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Deutschland				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A14S3-**** / A14A3-**** / O14S3-**** / O14A3-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,62	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,00049	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0005	kW	single stage heat output and no room temperature control	no
In standby mode	$e_{l,SB}$	0,0004	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	yes
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	yes
				with distance control option	yes
				with adaptive start control	yes
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Deutschland				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A14S0-**** / O14S0-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,62	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,0	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,0	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	no
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Deutschland				

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):	A14S1-**** / O14A1-**** / O14S1-****				
	-****, different model variants				
Item	Symbol	Value	Unit	Item	Unit
Heat output				Type of heat input, for electric storage local space heaters only (select one)	
Nominal heat output	P_{nom}	2,00	kW	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P_{min}	2,00	kW	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	$P_{max,c}$	1,62	kW	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption				fan assisted heat output	N/A
At nominal heat output	$e_{l,max}$	0,005	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	$e_{l,min}$	0,005	kW	single stage heat output and no room temperature control	yes
In standby mode	$e_{l,SB}$	0,0045	kW	Two or more manual stages, no room temperature control	no
				with mechanic thermostat room temperature control	no
				with electronic room temperature control	no
				electronic room temperature control plus day timer	no
				electronic room temperature control plus week timer	no
				Other control options (multiple selections possible)	
				room temperature control, with presence detection	no
				room temperature control, with open window detection	no
				with distance control option	yes
				with adaptive start control	no
				with working time limitation	no
				with black bulb sensor	no
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Deutschland				

Information requirements for electric local space heaters												
Model identifier(s):		E01A4-****	E03A4-****	E05A4-****	E07A4-****	E10A4-****	E12A4-****	E13A4-****	E14A4-****		same for all listed models	
	-****; different model variants											
Item	Symbol	Unit	Value	Value	Value	Value	Value	Value	Value	Value	Unit	
Heat output						Type of heat input, for electric storage local space heaters only (select one)						
Nominal heat output	P _{nom}	kW	0,65	1,30	1,95	2,45	1,60	1,20	1,60	2,00	manual heat charge control, with integrated thermostat	N/A
Minimum heat output (indicative)	P _{min}	kW	0,65	1,30	1,95	2,45	1,60	1,20	1,60	2,00	manual heat charge control with room and/or outdoor temperature feedback	N/A
Maximum continuous heat output	P _{max,c}	kW	0,52	1,092	1,80	2,00	0,87	1,057	1,26	1,62	electronic heat charge control with room and/or outdoor temperature feedback	N/A
Auxiliary electricity consumption												
At nominal heat output	e _{lmax}	kW	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	Type of heat output/room temperature control (select one)	
At minimum heat output	e _{lmin}	kW	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	single stage heat output and no room temperature control	no
In standby mode	e _{lSB}	kW	0,0168	0,0168	0,0168	0,0168	0,0168	0,0168	0,0168	0,0168	Two or more manual stages, no room temperature control	no
						with mechanic thermostat room temperature control						no
						with electronic room temperature control						no
						electronic room temperature control plus day timer						no
						electronic room temperature control plus week timer						yes
						Other control options (multiple selections possible)						
						room temperature control, with presence detection						no
						room temperature control, with open window detection						yes
						with distance control option						yes
						with adaptive start control						yes
						with working time limitation						no
with black bulb sensor						no						
Contact details	Electrorad UK Ltd. Units 1 & 2 Clayton Park Clayton Wood Rise LS16 6R Leeds											

Table 2 of the COMMISSION REGULATION (EU) 2015/1188 as of 28 April 2015

Information requirements for electric local space heaters

Model identifier(s):		O01A4-****	O02A4-****	O03A4-****	O04A4-****	O05A4-****	O06A4-****	O07A4-****	O10A4-****	O12A4-****	O13A4-****	O14A4-****		same for all listed models
-****; different model variants														
Item	Symbol	Unit	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Value	Unit
Heat output														
Nominal heat output	P _{nom}	kW	0,65	1,00	1,30	1,50	1,95	2,00	2,45	1,60	1,20	1,60	2,00	
Minimum heat output (indicative)	P _{min}	kW	0,65	1,00	1,30	1,50	1,95	2,00	2,45	1,60	1,20	1,60	2,00	
Maximum continuous heat output	P _{max,c}	kW	0,52	0,90	1,092	1,35	1,796	1,80	2,00	0,87	1,057	1,26	1,62	
Auxiliary electricity consumption														
At nominal heat output	e _{l,max}	kW	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	
At minimum heat output	e _{l,min}	kW	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	0,0241	
In standby mode	e _{l,sB}	kW	0,0168	0,0168	0,0168	0,0168	0,0168	0,0168	0,0168	0,0168	0,0168	0,0168	0,0168	
Type of heat input, for electric storage local space heaters only (select one)														
manual heat charge control, with integrated thermostat													N/A	
manual heat charge control with room and/or outdoor temperature feedback													N/A	
electronic heat charge control with room and/or outdoor temperature feedback													N/A	
fan assisted heat output													N/A	
Type of heat output/room temperature control (select one)														
single stage heat output and no room temperature control													no	
Two or more manual stages, no room temperature control													no	
with mechanic thermostat room temperature control													no	
with electronic room temperature control													no	
electronic room temperature control plus day timer													no	
electronic room temperature control plus week timer													yes	
Other control options (multiple selections possible)														
room temperature control, with presence detection													no	
room temperature control, with open window detection													yes	
with distance control option													yes	
with adaptive start control													yes	
with working time limitation													no	
with black bulb sensor													no	
Contact details	Thermotec AG Arnsdorf 26 02894 Vierkirchen Germany													